

# Bench

## MULTI-PURPOSE TABLE

Design Juri Karinen

The Bench transforms easily into different purposes: individual or teamwork, even for the bigger meetings. Bench takes into account the electrical equipment and devices by its inventive cable management system.

Bench acoustic screens can be added and moved without the use of tools, making it a great addition to a work environment that can be modified. The structure of the table also allows the joining of several tables.

Available as an antimicrobial.

### Materials and finishing

Frame	Pulver coated steel in Isku standard colours
Table top	Laminate (HPL) in ISKU standard colours, laquered veneers (birch, oak, ash) and technical veneers. Black nanolaminate (lam835).
Screens	Selected ISKU standard fabrics

### Dimensions

Width	1200, 1400, 1600, 1800 or 2000 mm
Depth	800mm (single) 1380mm (double 70) 1580mm (double 80)
Height	730 mm
Screen width	700/800/1200/1400/1600/1800 or 2000mm

### Video



SCAN ME



# Bench


## MULTIPURPOSE TABLE

### Datasheet

- Bench desk type: single, double 70cm or double 80cm. Width selectable from 120cm to 200cm with all desk types.









- Bench table can be equipped with electricity. Power cable length is 3/5m.
- Hatch location for electricity: left, right or none.






- Hatch can be chosen different colour than actual work top.
- Table screen can be upholstered with two colours.

### Bench table tops (depth 800 mm)



### Bench table tops (depth 700 mm)







Bench

ISKU  
Since 1928





# Bench

**ISKU**  
Since 1928