

Prima desk

STUDENT TABLE WITH COMPARTMENT

Design Raimo Räsänen

Prima student workstations are designed in accordance with EU standard and are intended for primary and secondary schools, upper secondary schools and vocational schools. Special attention has been paid to working ergonomics, comfort and convenience.

Prima classroom desks have height adjustment, and the carefully planned details such as the safety margin of the tilting lids, bag hooks, chair attachment and foot design all guarantee operational comfort, safety and easy cleaning.

Materials and finishing

Table top See datasheet 'Student table with compartment'.

Metal frame Silver, graphite, blue, green, burgundy, chrome, black or white.

Compartment Veneered plywood or massive birch

Dimensions

Width For dimension options see datasheet.

Depth

Height



Prima desk

STUDENT TABLE WITH COMPARTMENT

Datasheet

Nb!
Prima models 1126 and 1132 available with natural birch and stained colors and model 1128 in addition white and light grey laminate with cast edge laminate with cast edge (see ISKU standard materials).

* Tilting lid.
Angle 6 degrees.

— Compartment desks 1128 with cast-edged lid have an integrated pen shelf and paper stopper.


Model 1132 with massive birch has integrated pen shelf.

Standard colours for casted edge strips:




Measures

Prima 1126, 3-5




Prima 1128, 3-5




Measures


Prima 1126, 4-6



Prima 1128, 4-6




Prima 1132, 4-6



Top
with compartment
(compartment volume l)


Prima 1126 (21-24 l)



Prima 1128 (23-26,5 l)



Prima 1132 (30-35 l)



Prima desk

STUDENT TABLE

Design Raimo Räsänen

Prima student workstations are designed in accordance with EU standard and are intended for primary and secondary schools, upper secondary schools and vocational schools. Special attention has been paid to working ergonomics, comfort and convenience.

Prima classroom desks with table top have height adjustment, and the carefully planned details such as the safety margin of the tilting lids, bag hooks, chair attachment and foot design all guarantee operational comfort, safety and easy cleaning.

Materials and finishing

Table top Laminate birch, beech, white and light grey with cast edge. Laminate birch and beech with ABS edge.

Metal frame Silver, graphite, blue, green, burgundy, chrome, black or white.

Dimensions

Width For dimension options see datasheet.
Depth
Height



Prima desk

STUDENT TABLE

Datasheet

Nb!
Desk with cast edge has rounded edges and desk with ABS edgeband has sharp corners.

* Tilting lid.
Angle 8,12 and 16 degrees.


— Compartment desks with cast-edged lid have an integrated pen shelf and paper stopper.

Standard colours for casted edge strips:




Measures

Prima 1130, **3-5**




Measures

Prima 1130, **5-7**




Desk top


Prima 1130



Prima 1131, **3-5**



Prima 1131, **5-7**



Prima 1131



Prima chair

STUDENT CHAIR

Design Raimo Räsänen

Prima student chairs are intended for primary and secondary schools, high schools and vocational education institutions. Special attention has been paid to ergonomics and comfort. Different materials allows versatile use according to need and space. Chairs are easy to hang.

Prima student chairs meet the requirements of the EU standard.

Materials and finishing

Seat and backrest Wood (natural birch, beech, ash), laminate (white, black, light or dark grey, birch, beech, oak) or composite (grey, red, beech, blue, green, birch) or plastic (wine-red).

Metal frame Silver, graphite, blue, green, burgundy, chrome, black or white.

Dimensions

Width For dimension options see datasheet.

Depth

Height



Prima chair

STUDENT CHAIR

Datasheet



Prima chair is easy to hang.



1030 with plastic seat

Prima 1030, **3-5**




Prima 1030, **5-7**




1030 with wooden/composite seat

Prima 1030, **3-5**



Prima 1030, **5-7**





Primo

ISKU
Since 1928



Prima

ISKU
Since 1928